Organic production systems Permitted substances lists

ICS 67.040

Document type: National Standard of Canada

Document stage: 40 – Public Review

Warning

This document is not a National Standard of Canada. It is a draft distributed to CGSB committee members and other interested persons for review and comment. This draft is subject to change without notice and must not be referred to as a National Standard of Canada.

Recipients of this document are invited to submit their comments, to advise the CGSB committee of any relevant patent rights that they are aware of, and to provide supporting documentation. This information should be provided on or before **2014-08-01**, to:

Mark Schuessler

Canadian General Standards Board

Ottawa, ON K1A 1G6

Fax: 819-956-5740

Mark.schuessler@tpsgc-pwgsc.gc.ca

This page will have the CGSB boiler plate

Copyright notice

©HER MAJESTY THE QUEEN IN RIGHT OF CANADA, as represented by the Minister of Public Works and Government Services, the Minister responsible for the Canadian General Standards Board 2014. This Canadian General Standards Board (CGSB) document is a draft standard. This document may be reproduced by CGSB committee members participating in its development, for purposes of this development only. No other reproduction, transmission, telecommunication or publication of whole or any part of this document may be undertaken without the prior written permission of CGSB. Requests for permission to reproduce, transmit, communicate via telecommunication, publish or otherwise exploit the copyright in the whole or any part of this document should be addressed to CGSB at the address or co-ordinates shown below:

Manager, Strategic Standardization Group

Canadian General Standards Board

Gatineau, Canada K1A 1G6

Telephone: 819-956-0425 or 1-800-665-CGSB

Fax: 819-956-5644

Email: ncr.cgsb-ongc@tpsgc-pwgsc.gc.ca

Internet: http://www.tpsgc-pwgsc.gc.ca/ongc-cgsb/

Permission relating to the reproduction or publication of the whole or any part of this document for purposes of sale may be made conditional upon the requester's entering into a licensing agreement and the payment of royalties.

COMMITTEE ON ORGANIC AGRICULTURE

(Voting membership at date of approval)

Chair

Martin, H. Independent Consultant (General Interest)

General Interest Category

Boudreau, N. Organic Federation of Canada

Eisen, R. Organic Farming Institute of British Columbia

Gibson, J. Organic Food Council of Manitoba

Hamilton, R. Organic Alberta

Hammermeister, A. Organic Agriculture Centre of Canada, Dalhousie University

Henning, J. McGill University

Jones, S. Atlantic Canadian Organic Regional Network

Kremen, A. Independent Consultant

Mussar, K. IE Canada

Nodge, G. Canadian Organic Certification Cooperative

Reimer, P. Manitoba Organic Alliance

Gravel, F. Table Filière Biologique du Québec

Street, B. British Columbia Society for the Prevention of Cruelty to Animals --

Certification Division

Taylor, A. Saskatchewan Organic Directorate

Voroney, P. University of Guelph Zettel, T. Organic Council of Ontario

Producer Category

Blackman, S. Canadian Produce Marketing Association Bostock, M. Ecological Farmers Association of Ontario

Bouchard, G. La Fédération d'agriculture biologique du Québec

Buchler, H. British Columbia Wine Grape Council Carter, C. Canadian Health Food Association

Duval, J. Club du CDA

Dyck, M. Conseil Canadien de l'horticulture
Edwards, L. BC Organic Tree Fruit Association
Falck, D. Small Scale Food Producers Association
Holmes, M. Organic Trade Association in Canada

Kelly, J. Prince Edward Island Certified Organic Producers Coop

Lampron, P. Dairy Farmers of Canada
Lefebvre, S. Egg Farmers of Canada
Macey, A. Canadian Organic Growers

Preater, R. Canadian Seed Growers' Association Rundle, T. Pacific Organic Seafood Association

St-Onge, A. Fédération des producteurs acéricoles du Québec

©CGSB 2014 - All rights reserved

Regulator Category

TBD . Canadian Food Inspection Agency

Smith, S. British Columbia Ministry of Agriculture and Lands Telford, L. Manitoba Agriculture, Food and Rural Initiatives

Turgeon, N. Ministère de l'Agriculture, des Pêcheries et de l'Alimentation du Québec

Van As, F. Health Canada – Veterinary Drugs

User Category

Casey, S. Retail Council of Canada
Hillard, J. Consumers Interest Alliance

Kehler, C. Canadian Herb, Spice and Natural Health Products Coalition

Kneen, C. Food Secure Canada

Neilsen, E. Consumer Council of Canada

Monoghan, K. International Organic Inspectors Assocation

Secretary (Non-member)

Schuessler, M. Canadian General Standards Board

Acknowledgment is made for the translation of this National Standard of Canada by the Translation Bureau of Public Works and Government Services Canada.

Contents	Pag	26

Introd	uction (Informative) <u>vi</u> vii
1	Scope
2	Normative references
3	Requirements for adding or amending substances in the lists 3
4	Permitted substances lists for crop production
5	Permitted substances lists for livestock production
6	Permitted substances lists for processing
7	Permitted substances lists for cleaners, disinfectants and sanitizers
8	Notes41
Annex	A (informative) Organic production systems review record for generic substances added
	or amended

Introduction (Informative)

Organic operations in Canada remain subject to all applicable laws and regulations. Substances that appear in CAN/CGSB-32.311, Organic Production Systems — Permitted Substances Lists, are subject to the Pest Control Products Act (PCPA) or the Food and Drugs Act (FDA) when used in Canada as pesticides or disinfectants. Health Canada's Pest Management Regulatory Agency (PMRA) is the federal authority responsible for the regulation of pest control products (including sanitizers) under the PCPA and Regulations. Disinfectants are regulated by Health Canada's Therapeutic Products Directorate (TPD) under the FDA and Regulations.

Substances that appear in CAN/CGSB-32.311, Organic Production Systems — Permitted Substances Lists, are subject to the Food and Drugs Act (FDA) when used in Canada as veterinary drugs destined to food-producing animals and to the Feeds Act (FA) when used in Canada as livestock feed. Health Canada's Veterinary Drugs Directorate is the federal authority responsible for the regulation of veterinary drugs under the FDA and Regulations. Livestock feeds are regulated by the Animal Feed Division of the Canadian Food Inspection Agency under the FA and Regulations and the Health of Animals Act and Regulations

Organic production systems

Permitted substances lists

1 Scope

This standardNational Standard of Canada¹ provides additional information to CAN/CGSB-32.310₇

Organic Production Systems — General Principles and Management Standards. It consists of requirements for adding or amending permitted substances in the following lists, organized by category of use.

___Quantities and dimensions in this standard are given in metric units with yard/pound equivalents, mostly obtained through soft conversion, given in parentheses. The metric units shall be regarded as official in the event of dispute or unforeseen difficulty arising from the conversion.

2. REFERENCED PUBLICATIONS

2.1 The following publications are referenced in this standard:

2.1.1 The testing and evaluation of a product against this standard may require the use of materials and/or equipment that could be hazardous. This standard does not purport to address all the safety aspects associated with its use. Anyone using this standard has the responsibility to consult the appropriate authorities and to establish appropriate health and safety practices in conjunction with any applicable regulatory requirements prior to its use.

2 Normative references

The following normative documents contain provisions that, through reference in this text, constitute provisions of this method. The referenced documents may be obtained from the sources noted below.

Note The addresses provided below were valid at the date of publication of this standard,

An undated reference is to the latest edition or revision of the reference or document in question, unless otherwise specified by the authority applying this method. A dated reference is to the specified revision or edition of the reference or document in question. However, parties to agreements based on

¹⁻References throughout this document to ""this standard" National Standard of Canada" refer to CAN/CGSB-32.311, Organic Production Systems—production systems — Permitted Substances Lists Substances lists.

this method are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below.

2.1 Canadian General Standards Board (CGSB)

CAN/CGSB-<u>32.310</u> — Organic <u>Production Systems</u> — production systems — General <u>Principles</u> and <u>Management</u> management standards.

2.1.1 **Source**

The above may be obtained from the Canadian General Standards. Board, Sales Centre, Gatineau, Canada K1A 1G6. Telephone 819-956-0425 or l-800-665-2472. Fax 819-956-5644. E-mail ncr.cgsbongc@tpsgc-pwgsc.gc.ca. Web site www.tpsgc-pwgsc.gc.ca/ongc-cgsb.

2.2 2.1.2 Canadian Council of Ministers of the Environment (CCME)

Guidelines for Compost Quality compost quality.

2.2.1.3 <u>Source</u>

The above may be obtained from the Canadian Council of Ministers of the Environment, 123 Main Street, Suite 360, Winnipeg, Manitoba R3C 1A3. Telephone 204-948-2090, Fax 204-948-2125. E-mail info@ccme.ca. Web site www.ccme.ca.

2.3 Ministère du Développement <u>developpement</u> durable, <u>de l'Environnement</u>. <u>De l'environnement</u> et des <u>Parcsparcs</u> du Québec, <u>Direction direction</u> du milieu rural

Guidelines for the Beneficial Use of Fertilizing Residuals.beneficial use of fertilizing residuals

2.3.1.4 Source

The above may be obtained from Mark Input

2.4 Pest Management Regulatory Agency (PMRA)

REG2007-04 — Regulatory Notenote: PMRA Listlists of Formulants. formulants

- 2.2 A dated reference in this standard is to the issue specified. An undated reference in this standard is to the latest issue. The sources are given in the Notes section.
- 3. REQUIREMENTS FOR ADDING OR AMENDING SUBSTANCES IN THE LISTS

2.4.1 Source

The above may be obtained from the Canadian Health Canada, Address Locator 0900C2, Ottawa, Ontario K1A 0K9. Telephone 613-957-2991 or 1-866-225-0709. Fax 613-941-5366. E-mail info@hcsc.gc.ca. Web site www.healthcanda.ca.

- 3 Requirements for adding or amending substances in the lists
- **3.1** Section 10 of CAN/CGSB-32.310, Organic Production Systems General Principles and Management Standards, outlines the requirements for adding or amending substances in the lists.
- 4. PERMITTED SUBSTANCES LISTS FOR CROP PRODUCTION

4 Permitted substances lists for crop production

- **4.1 Classification** Crop production substances are classified according to the following uses and applications:
- a. **Soil** Amendments are substances applied to the soil to improve fertility and tilth and to correct soil problems. Fertilizers, plant foods and soil amendments are primarily used for their plant nutrient content and may be applied to the soil or to the foliage of plants.
- b. Crop Production Aidsproduction aids and Materials materials are substances used in conjunction
 with other substances, which may or may not be directly applied to the crop or soil, or substances
 used to control pests (disease, weed or insect). Examples include
 - i. adjuvants, insect traps and plastic mulch;
 - ii. vertebrate animal pest management substances;
 - iii. plant disease management substances;
 - iv. insect pest management (invertebrates), mites, molluscs and crustacean substances;
 - v. nematode management substances.

4.2 Soil Amendments and Crop Nutrition — Unless otherwise specified, the soil amendments and crop nutrients listed below shall not contain substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, or not permitted by this standard.

Substance Name(s)	Origin and Usage
Agar	For use in initial mushroom spawn production.
Alfalfa meal and pellets	Use organic alfalfa unless commercially unavailable. Ensure non-organic alfalfa is not a product of genetic engineering.
Algae	See Aquatic plants and aquatic plant products.
Amino acids, non-synthetic	Amino acids produced by plants, animals and micro-organisms that are not from genetic engineering and that are extracted or isolated by hydrolysis or by physical or other non-chemical means are considered non-synthetic. Non-synthetic amino acids may be used as plant growth regulators or chelating agents.
Animal manure	See sections 5 and 6 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
Animal manure, processed	Manures that are treated by mechanical and/or physical (including heat) methods and/or to which are added biological, mineral or other substances listed in par. 4.2 are allowed. Manure sources shall conform to par. 5.5.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards The operator shall be able to demonstrate that best practices known to eliminate human pathogens during the treatment have been used or that the requirements in par. 5.5.2.5 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, have been met.
Aquatic plants and aquatic plant products	Shall not contain synthetic preservatives, such as formaldehyde. Natural (non-synthetic) extracts are allowed. Extraction with synthetic solvents is prohibited except for potassium hydroxide or sodium hydroxide, provided the amount of solvent used does not exceed the amount necessary for extraction. The manufacturer shall prove the need to use sodium hydroxide.

Substance Name(s)	Origin and Usage
Ash	Ash from plant and animal sources only. Ash from burning minerals, manure, coloured paper, plastics or other synthetic substances is prohibited. Ash obtained from off-farm sources shall not exceed the limits (category C1) for acceptable levels (mg/kg) of arsenic, cadmium, chromium, copper, lead and mercury specified in the <i>Guidelines for the Beneficial Use of Fertilizing Residuals</i> , published by the Quebec Ministère du Développement durable, de l'Environnement et des Parcs, Direction du milieu rural. Shall not cause buildup of heavy metals in soil over repeated applications.
Basalt	Mined or quarried volcanic rock minerals.
Bentonite <u>Basalt</u>	Seesee Mined minerals and unprocessed mined minerals.
<u>Bentonite</u>	See Clay.
<u>Biochar</u>	Only produced through pyrolysis of forestry by-products which have not been treated with or to which no substances have been added that are prohibited by 1.4.1. Recycled biochar from contaminated remediation sites is not permitted.
Biodynamic preparations for soil and plants	
Biotite	See Potassium Rock Powders
(iron, magnesium or aluminum silicates)	
Blood meal	Allowed only if sterilized.
Bone meal	Permitted only if guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of cattle aged 30 months or older; and the distal ileum (portion of the small intestine) of cattle of all ages.
Borate	<u>See Boron</u> Shall only be used for a documented deficiency relative to the type of crop. See also <i>Boron products</i> .
Borax	See Boron products.
(sodium tetraborate)	
Boron -products	The following soluble boron products may be used: <u>borate</u> , sodium tetraborate (borax and anhydrous) and sodium octaborate. Shall only be used for a documented deficiency relative to the type of cropSee also <u>Trace elements</u> (<u>micronutrients</u>) <u>Micronutrients</u> for documentation requirements.
Calcium carbonate	See Limestone.

Substance Name(s)	Origin and Usage
Calcium chloride	Natural sources-only. May be used to adjust nutrient deficiencies and physiological disorders. Shall not cause buildup of salts in soil over repeated applications.
Calcium , natural sources	Mined calcium carbonate, limestone, dolomite (not slaked), natural sources including shells from aquatic animals such as oyster shell flour, aragonite, eggshell meal and lime from sugar processing are acceptable. Calcium products that have been used in controlled atmosphere storage are prohibited. Calcium chloride: natural sources only. May be used to adjust nutrient deficiencies and physiological disorders. Shall not cause buildup of salts in soil over repeated applications. Sources include shells from aquatic animals. See also Gypsum.
Calcium sulphate (gypsum)	See Gypsum (calcium sulphate).
Cannery wastes	Use only if organically grown or as composting feedstocks. See <i>Composting, feedstocks</i> for mandatory composting requirements.
Cardboard	Cardboard that is not waxed or impregnated with fungicide or substances not on these lists; may be used as mulch or compost feedstock.
Clay	Bentonite, perlite and zeolite as a soil amendment or seed pellet additive. These are also listed individually in this standard. See also Mined minerals and unprocessed mined minerals.
Compost	See Compost obtained from off-farm sources, Compost produced on the farm, Compost tea, Composting feedstocks.
Compost obtained from off-farm sources	Compost obtained from off-farm sources shall conform to the criteria in Composting feedstocks.
	In addition, compost obtained from off-farm sources a. shall not exceed the maximum acceptable levels of trace contaminants (mg/kg) and foreign matter outlined for unrestricted use (Category A) compost as specified in the Canadian Council of Ministers of the Environment (CCME) publication Guidelines for Compost Quality,
	 b. shall not cause a buildup of heavy metals in soil over repeated applications, c. shall meet criteria for acceptable levels (MPN/g total solids) of human pathogens as specified in the CCME publication <i>Guidelines for Compost Quality</i>.
	See <i>Worm castings</i> for information on vermicompost; <i>Microbial products</i> for information on compost starters.

Substance Name(s)	Origin and Usage
Compost produced on the farm	Compost produced on the farm shall conform to the criteria in <i>Composting</i> feedstocks.
	In addition if made from animal manures or other likely sources of human pathogens, compost produced on the farm shall
	a.—reach a temperature of 55°C (130°F) for a period of four consecutive days or more. The compost piles shall be mixed or managed to ensure that all of the feedstock heats to the required temperature for the minimum time; or
	 b. meet limits for acceptable levels (MPN/g total solids) of human pathogens specified in the Canadian Council for Ministers of the Environment publication <i>Guidelines for Compost Quality</i>; or
	c. be considered as aged or raw manure rather than compost (i.e. meet the requirements specified in par. 5.5.2.5 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards).
	See <i>Worm castings</i> for information on vermicompost; <i>Microbial products</i> for information on compost starters.
Compost tea	Compost tea shall be made from composts conforming to the criteria in Compost produced on the farm or Compost obtained from off-farm sources or Worm castings. Other substances listed in CAN/CGSB-32.311, Organic Production Systems — Permitted Substances Lists, may be added to compost tea.
	If compost tea is applied directly to the edible parts of plants, the operator shall be able to demonstrate that best practices known to eliminate pathogens during the processing have been used OR that the requirements for raw manure in par. 5.5.2.5 of CAN/CGSB-32.310, Organic Production Systems—General Principles and Management Standards, have been met.
	See the definition of <i>Compost Tea</i> in section 3 of CAN/CGSB-32.310, <i>Organic Production Systems — General Principles and Management Standards</i> .

Acceptable feedstocks include
1
a. animal manures conforming to par. 5.5.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards;
b. animal, animal products and by-products (including fishery);
 c. plants and plant by-products (including forestry and source-separated yard debris, such as grass clippings and leaves);
d. soils and minerals conforming to this standard and CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
The following are prohibited as composting feedstocks: sewage sludge; compost starter and feedstocks fortified with substances not included in this standard or prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards; leather byproducts; glossy paper; waxed cardboard; paper containing coloured ink; and animal, animal products and animal by-products that are not guaranteed free of the risk materials specified in Bone meal.
Except for animal manures, feedstocks that may be contaminated with substances not included in this standard or prohibited by par. 1.4.1 of CAN/CGSB-32.310, shall require documentation to confirm the absence of these substances OR documentation substantiating the common degradation of such contaminants during the composting process. See <i>Microbial products</i> for information on compost starters.
These products shall be used in a manner that prevents excessive copper accumulation in the soil. Buildup of copper in soil may prohibit future use. Use with caution. No visible residue shall be allowed on harvested crops. Basic copper sulphate, copper oxide, copper sulphate and copper oxysulphate may be used to correct documented copper deficiencies. Copper ammonia base, copper ammonium carbonate, copper nitrate and cuprous chloride are prohibited as sources of copper for plant nutrients.
See Limestone-Products of anaerobic digestion may be used as a soil amendment provided the following conditions are met: The materials added to the digester must be listed on PSL 4.2. Para 5.5.2.3. shall be respected. The requirements for raw manure application (para 5.5.2.5) must be followed unless it meets the CCME criteria for acceptable levels (MPN/g total solids) of human pathogens or it is added to other substrates which are then composted. If feedstocks are obtained from off farm sources, the digestate must comply with the heavy metal restrictions in "Compost obtained from off-farm sources".

Substance Name(s)	Origin and Usage
<u>Dust suppressants</u>	For soil amendments and other purposes, non-synthetic substances listed in 4.2 and 4.3 such as lignosulphonate, molasses, vegetable oils, lactic acid, are allowed; petroleum products are prohibited. [cgsb-mss1]
Enzymes	Acceptable if derived microbiologically from natural substances and not fortified with synthetic plant nutrients. Ensure enzymes are not obtained through genetic engineering.
Epsom salts	See Magnesium sulphate.
Feather meal	
Feldspar	See Mined minerals and unprocessed mined minerals.
Ferric and ferrous compounds	Includes ferric oxide, ferric sulphate and ferrous sulphate. See Iron products, Trace elements (micronutrients).
Fish emulsions or solubles	See Fish products.
Fish farm wastes	Shall be composted.
Fish hydrolysate	See Fish products.
Fish meal, powder	Natural substances or those derived from natural substances, without the addition of ethoxyquin or other chemically synthesized substances or chemical treatment. See also <i>Fish products</i> .
Fish products	Natural substances or those derived from natural substances without the addition of ethoxyquin or other chemically synthesized substances or chemical treatment except that liquid fish products as soil and plant amendments may be pH adjusted with (in preferential order) organic vinegar, organic non-synthetic citric acid, synthetic citric acid, cgsB-Mss2l phosphoric acid or sulphuric acid. The amount of acid used shall not exceed the minimum needed to reach pH 3.5. Shall not contain synthetic preservatives or fertilizing substances not listed in this standard.
Granite dust	Sources that are mixed with petroleum products, such as from stone engraving, are prohibited. See also Mined minerals and unprocessed mined minerals.
Greensand	See Mined minerals and unprocessed mined minerals.
(glauconite)	
Guano, bat or bird	Shall be decomposed, dried deposits from wild bats or birds. Domesticated fowl excrement is considered <i>manure</i> , not <i>guano</i> . See <i>Compost</i> .

Substance Name(s)	Origin and Usage
Gypsum (calcium sulphate)	Mined source; for correcting calcium and sulphur deficiencies and for amending soil salinity problems documented by <u>visual symptoms</u> soil and or plant tissue testing. Sulphates produced using sulphuric acid are prohibited.
Humates, humic acid and fulvic acid	Permitted if extracted by microbial fermentation or potassium hydroxide. Shall not exceed the limits (category C1) for acceptable levels (mg/kg) of arsenic, cadmium, chromium, copper, lead and mercury specified in the <i>Guidelines for the Beneficial Use of Fertilizing Residuals</i> , published by the Quebec Ministère du Développement durable, de l'Environnement et des Parcs, Direction du milieu rural. Potassium hydroxide levels used in the extraction process may not exceed the amount required for extraction.
Humus from worms and insects (vermicompost)	See Worm castings.
Inoculants	See Microbial products.
Iron- products	Ferric oxide, ferric sulphate, ferrous sulphate, iron citrate, iron sulphate or iron tartrate may be used where a soil or plant nutrient-deficiency is documented by <u>visual symptoms</u> , soil or tissue testing.
Iron sulphates	Sulphates produced using sulphuric acid are prohibited. See also Iron products.
Kelp and kelp products	See Aquatic plants and aquatic plant products.
Kieserite	See Magnesium sulphate, Mined minerals and unprocessed mined minerals.
Langbeinite	Mined sulphate of potash magnesia.
Leaf mould	
Limestone	Magnesium carbonate and calcium carbonate. May cause buildup of magnesium. Use with caution. Shall be from a natural source. Oyster shell flour, limestone, dolomite (not slaked), aragonite, eggshell meal, lime from sugar processing and mined calcium carbonate are acceptable. Calcium products that have been used in controlled atmosphere storage are prohibited.
Magnesium carbonate	Naturally occurring in dolomite and magnesite.
Magnesium chloride	Natural sources only.

Substance Name(s)	Origin and Usage
Magnesium rock	Magnesium Rock: Magnesium carbonate, magnesium chloride. Dolomitic limestone (not slaked). Natural substances or those derived from natural substances, without the addition of chemically synthesized substances or chemical treatments. See also Mined minerals and unprocessed mined minerals. Magnesium Sulphate: Epsom Salts, kieserite. Allowed for use with a documented magnesium deficiency. Synthetically produced epsom salts is allowed.
Magnesium sulphate	Allowed for use with a documented magnesium deficiency. Mined as kieserite or epsom salts (see also Mined minerals and unprocessed mined minerals) or synthetically produced epsom salts.
Manganese-products	Manganous oxide and manganese sulphate may be used to correct documented manganese deficiencies. See Trace elements (micronutrients). See Micronutrients.
Manure, composted	See Compost.
Manure, non-organic manure source	See conditions in par. 5.5 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
Mica Meat Meal	See Mined minerals and unprocessed mined minerals. Meat meal will require processing (such as drying, heat sterilization and/or composting). Shall not include any substances prohibited by par. 1.4.1 of CAN/CGSB-32.310. CGSB-MSS3]
Microbial products	Allowable microbial products include rhizobium bacteria, mycorrhizal fungi, azolla, yeast and other micro-organisms on compost, plants, seeds, soils and other components of the organic operation. Lonizing radiation is allowed for use on peat moss carrier only, before the addition of microbial inoculants. Radiation is otherwise prohibited. If the microbial is supplied without the substrate, the microbial may not be genetically engineered. However the substrate may be produced from genetic engineering provided that an analogous product grown on a non-genetically engineered substrate is not commercially available and a reasonable search of suppliers has been conducted. If the substrate is a component of the soil amendment or crop nutrient, the ingredients of the substrate must be listed on Table 4.2 and neither the microbial nor the substrate ingredients may be produced from genetic engineering.

Substance Name(s)	Origin and Usage
Micronutrients, synthetic	See Trace elements (micronutrients). Includes micronutrients (trace elements) from natural or synthetic sources that are unchelated or chelated by substances listed as allowed. To be used when soil and plant deficiencies are documented by visual symptoms, soil or plant testing. Nitrate and ammonium forms of micronutrients are prohibited.
Milk	
Mined minerals and unprocessed mined minerals	A mined mineral shall not have undergone any change in its molecular structure through heating or by combining with other substances. Acceptable if the substance is not processed or fortified with synthetic chemicals. Mined minerals are regarded as supplements to a balanced, organic soil-building program. Some of the minerals that are mined can also be made synthetically or are by-products of industry; investigate the source of any new substance. Sodium nitrate is prohibited. Sources that are mixed with petroleum products such as from stone engraving are prohibited. Includes Basalt, Pumice, Sand, Feldspar, Mica, Granite Dust, unprocessed rock dust.
Molasses	Shall be organic molasses unless not commercially available.
Molybdenum products	To correct documented molybdenum deficiencies. See also <i>Trace elements (micronutrients)</i> . <i>Micronutrients</i> .
Mulches	Organic plant residue: where organic materials are not readily available, nonorganic straw, leaves, grass clippings or hay that are not the products of genetic engineering may be used. Substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, shall not have been used on these materials for at least 60 days before harvest. Sawdust, wood chips and shavings: permitted for mulching if they are from natural sources or derive from natural substances and if they are from wood, trees or logs that have not been treated with paint or substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards. Newspaper and paper mulch: glossy paper and coloured ink are prohibited. Paper: glossy paper and coloured ink are prohibited.
Mushroom compost	See Compost.
Naturally occurring biological organisms (e.g. worms) and their products	See Worm castings.

Substance Name(s)	Origin and Usage
Oilseed meals	Use organic sources unless commercially unavailable. Shall not be from genetically engineered oilseeds.
Oyster shell lime	Ground shells from oysters. See also Limestone.
Peat moss	
Perlite	
Phosphate rock	Shall not be fortified or processed with synthetic chemicals. Cadmium shall not exceed 90 mg/kg P_2O_5 .
Plants and plant by-products	Includes plant preparations of aquatic or terrestrial plants or parts of plants, such as cover crops, green manures, crop wastes, hay, leaves and straw. Parts of plants used as soil amendments and foliar feeds are permitted. Wastes from crops that have been treated or produced with substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, are prohibited. Only substances listed in par-tables 6.3 and 6.6 may be used in the processing of plant by-products. Plant by-products not meeting this restriction may be used as composting feedstocks. Sawdust, wood chips and shavings: permitted if they are from natural sources or derive from natural substances and if they are from wood, trees or logs that have not been treated with paint or substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
Pomaces	Feedstocks shall be from organically grown fruits or vegetables, or the material shall be aerobically composted before use.
Potassium chloride (muriate of potash and	MinedLangbeinite, mined sulphate of potash magnesia; mined potassium salts (e.g. sylvinite and kainite). Potassium chloride (muriate of potash and rock
rock potash)	<u>potash</u>): Shall not cause buildup of salts in soil over repeated applications.Potassium rock powder: includes basalt, biotite, mica, feldspar, granite and
	greensand. Potassium Sulphate: Allowed if produced by combining naturally occurring brines or mined minerals but not fortified with synthetic chemicals.
	Potassium sulphate made using reactants such as sulphuric acid or ammonia are prohibited.
Potassium rock powders	Includes basalt, biotite, mica, feldspars, granite and greensand.
Potassium sulphate	Only if from langbeinite or other natural sources. See also Mined minerals and unprocessed mined minerals.
Potassium sulphate magnesia	Langbeinite.

Substance Name(s)	Origin and Usage
Potting soil	Shall not contain synthetic wetting agents or synthetic fertilizers.
Pumice	
Rock dusts (stone meal), unprocessed	See Mined minerals and unprocessed mined minerals.
Sand	
Seaweed and seaweed products	See Aquatic plants and aquatic plant products.
Shells from aquatic animals	
Soil	From organic sources in accordance with this standard for 36 months.
Sphagnum moss	Shall not contain synthetic wetting agents.
Stillage and stillage extract	Ammonium stillage is prohibited.
Sulphate of potash	From langbeinite. See also Mined minerals and unprocessed mined minerals.
magnesia	Natural substances or those derived from natural substances, without the addition of chemically synthesized substances or chemical treatment.
Sulphates of zinc or iron	May be used only to correct for deficiencies determined by soil or plant tissue testing. Sulphates produced using sulphuric acid are prohibited. See also <i>Iron</i> products.
Sulphur, elemental	Sulphur may be used as a soil amendment where more buffered sources of sulphur are not appropriate, and as a foliar application. Natural substances or those derived from natural substances without the addition of chemically synthesized substances or chemical treatment.
Trace elements (micronutrients)	Includes micronutrients from natural sources that are unchelated or chelated by substances listed as allowed. To be used when soil and plant deficiencies are documented by soil and plant testing.
Vermicasts	See Worm castings.
Vermiculite	
Vitamins	Non-synthetic sources of all vitamins and synthetic sources of vitamins B_1 , C (ascorbic acid) and E may be used in organic crop production.
Wood ash	See Ash.

Substance Name(s)	Origin and Usage
Worm castings	Worm castings (also called vermicompost, worm compost, vermicast, worm humus or worm manure) are the end product of the breakdown of organic matter and compounds by some earthworm species. Feedstocks for these earthworms shall meet the criteria in <i>Composting feedstocks</i> . The operator shall be able to demonstrate that worm castings produced on the farm and obtained from off-farm sources meet the limits for acceptable levels (MPN/g total solids) of human pathogens specified in the Canadian Council of Ministers of the Environment publication <i>Guidelines for Compost Quality</i> OR that best practices known to eliminate human pathogens during vermicomposting have been used. See <i>Microbial products</i> for information on compost starters.
Yeast	See Microbial products.
Zeolite	See Mined minerals and unprocessed mined minerals.
Zinc-products	Zinc oxide and zinc sulphate may be used to correct a documented zinc deficiency.

4.3 Crop <u>Production Aidsproduction aids</u> and <u>Materials materials</u> — Unless otherwise specified, the crop production aids and materials listed below shall not contain substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, <u>Organic Production Systems — General Principles and Management Standards</u>, or not permitted by this standard.

Substance Name(s)	Origin and Usage
Acetic acid	Non-synthetic sources only. As an adjuvant and, pH regulator and for weed control [CGSB-MSS4].
Adhesives for sticky traps and barriers	
Alcohol	Non-synthetic ethyl alcohols are allowed as solvents to extract botanical insecticides.
Amino acids, non-synthetic	Amino acids produced by plants, animals and micro-organisms that are not from genetic engineering and that are extracted or isolated by hydrolysis or by physical or other non-chemical means are considered non-synthetic. Non-synthetic amino acids may be used as plant growth regulators or chelating agents.
Ammonium carbonate	As an attractant in insect traps.

Substance Name(s)	Origin and Usage
Aquatic plants and aquatic plant products	Shall not contain synthetic preservatives, such as formaldehyde. Natural (non-synthetic) extracts are allowed. Extraction with synthetic solvents is prohibited except for potassium hydroxide or sodium hydroxide, provided the amount of solvent used does not exceed the amount necessary for extraction. The manufacturer shall prove the need to use sodium hydroxide.
Arthropod pathogens	See Biological organisms.
Arthropod predators and parasitoids	See Biological organisms.
Arthropods	See Biological organisms.
Ascorbic acid (vitamin C)	Synthetic and non-synthetic sources may be used as a pH regulator. Only non-synthetic sources may be used for promoting natural growth.
Baits for rodent traps	Baits shall not contain synthetic substances.
Bentonite	See Mined minerals and unprocessed mined minerals in par.intable 4.2.
Biodynamic preparations for compost	
Biological organisms	Living organisms that benefit plant production by reducing pest populations, such as <i>Bacillus thuringiensis</i> , spinosad, granulosis (e.g. viruses, bacteria, protozoa, fungi, insects and nematodes). No organisms from genetic engineering.
Borate	Sodium tetraborate and octaborate may be used as wood preservatives. Only mined sources acceptable.
Boric acid	May be used for structural pest control (i.e. ants). No direct contact with organic food or crops is allowed.
Botanical pesticides	Botanical pesticides shall be used in conjunction with a biorational pest management program but shall not be the primary method of pest control in the farm plan. The least toxic botanicals shall be used in the least ecologically disruptive way possible. All label restrictions and directions shall be followed including restrictions concerning crops, livestock, target pests, safety precautions, pre-harvest intervals and worker re-entry.
Calcium chloride	Natural sources and food-grade quality only. May be used to adjust nutrient deficiencies and physiological disorders.
Calcium lignin sulphonate	See Lignin sulphonates.
Calcium polysulphide	See Lime sulphur.
Carbon dioxide	For soil and greenhouse use and for controlled atmosphere storage.

Substance Name(s)	Origin and Usage
Chelates	Natural chelates and synthetic chelates specifically included for that purpose in this standard are allowed. See <i>Lignin sulphonates</i> .
Cholecalciferol (vitamin D ₃)	May be used outdoors and inside greenhouses for rodent control when methods described in par. 5.6.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, have failed. Not allowed inside on-farm food processing and food storage facilities.
Citric acid	Non-synthetic and synthetic sources may be used as a chelating agent and a pH adjuster and herbicides.
Copper products	Includes copper hydroxide for use as a wood preservative or for disease control; copper sulphates for use as a fungicide; Bordeaux mix, copper oxychloride, copper oxide, fungicides or wood treatments, for fruits and vegetables. These products shall be used in a manner that prevents excessive copper accumulation in the soil. Buildup of copper in soil may prohibit future use. Use with caution. No visible residue shall be allowed on harvested crops. Basic copper sulphate, copper oxide, copper sulphate and copper oxysulphate may be used to correct documented copper deficiencies. Copper ammonia base, copper ammonium carbonate, copper nitrate and cuprous chloride are prohibited as sources of copper for plant nutrients.
Cytokinins	See Growth regulators for plants.
Diatomaceous earth	Only non-heated forms may be used. Make sure no synthetic pesticides or synergists are added.
Dormant oils	Allowed for use as a dormant spray on woody plants only. Not allowed as a dust suppressant. CGSB-MSS51
Dust suppressants	For soil amendments and other purposes, non-synthetic substances listed in 4.2 and 4.3 such as lignosulphonate, molasses, vegetable oils, lactic acid, are allowed; petroleum products are prohibited. [CGSB-MSS6]
Ferric phosphate (iron orthophosphate, iron phosphate)	Permitted as molluscicide. To be used in such a way as to prevent runoff into water bodies. Shall not be in contact with crops.
Fibre row covers	Shall not be incorporated into the soil or left in the field to decompose; shall be removed at the end of the growing season.

Substance Name(s)	Origin and Usage
Formulants	Formulants can only be used in conjunction with substances listed in par.table 4.3. Only formulants that are classified by the Pest Management Regulatory Agency (PMRA) in Regulatory Note REG2007-04 as List 4A or 4B or are non-synthetic may be used with substances in par.table 4.3 that are applied directly to crops. Formulants classified as List 3 in PMRA Regulatory Note REG2007-04 may be used with passive pheromone dispensers. Formulants classified as List 1 or List 2 in PMRA Regulatory Note REG2007-04 are prohibited.
Gibberellic acid	Acceptable if made from a fermentation process. Fermentation process shall not use organisms from genetic engineering. See also <i>Growth regulators for plants</i> .
Growth regulators for plants	Natural plant hormones, such as gibberellic acid, indoleacetic acid and cytokinins, are allowed. See also <i>Gibberellic acid</i> .
Hormones	See Growth regulators for plants.
Hydrated lime	For plant disease control only.
Hydrogen peroxide	Hydrogen peroxide is not allowed in maple syrup production. Allowed for use as a fungicide.
Indoleacetic acid	See Growth regulators for plants.
Kaolin clay	
Lignin sulphonates	Lignosulphonic acid, calcium lignosulphate and sodium lignosulphate. Allowed as a chelating agent, as a formulant ingredient and as a dust suppressant. Ammonium lignosulphate is prohibited.
Lime sulphur (calcium polysulphide)	Allowed as a fungicide, an insecticide and an acaricide (mite control) on plants.
Magnesium chloride	Natural sources only.

Substance Name(s)	Origin and Usage
Mulches	Organic plant residue: permitted for mulching. Where organic materials are not readily available, non-organic straw, leaves, grass clippings or hay that are not the products of genetic engineering may be used. Substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, shall not have been used on these materials for at least 60 days before harvest.
	Sawdust, wood chips and shavings: permitted for mulching if they are from natural sources or derive from natural substances and if they are from wood, trees or logs that have not been treated with paint or substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
	Newspaper and paper mulch: glossy paper and coloured ink are prohibited.
	Plastic mulches: non Non-biodegradable and semi-biodegradable materials shall not be incorporated into the soil or left in the field to decompose; (shall be removed at the end of the growing season. Plastic mulches in perennial crops may be left for more than one season but shall be removed before the plastic decomposes.). Use of polyvinyl chloride as plastic mulch or row cover is prohibited.
	Fully biodegradable films: permitted without removal if they do not contain substances prohibited by par. 1.4.1 of CAN/CGSB-32.310, Organic Production Systems—General Principles and Management Standards.
Nitrogen	For controlled atmosphere storage.
Oxygen	For controlled atmosphere storage.
Peracetic acid	For use in controlling fire blight bacteria and in disinfecting seed and asexually propagated planting material.
pH buffers	Shall be from a natural source, such as citric acid or vinegar. Lye and sulphuric acid are prohibited.
Pheromones and other semiochemicals	Allowed for use in pheromone traps or passive [CGSB-MSS7] dispensers. Both synthetic and non-synthetic pheromones and semiochemicals may be used for pest control.

Substance Name(s)	Origin and Usage
Plant extracts, oils and preparations	Allowed for use as production aids unless otherwise specifically restricted or prohibited. Allowed extractants include cocoa butter, lanolin, animal fats, alcohols and water. Allowed for pest (disease, weed and insect) control. Extraction with synthetic solvents is prohibited except for potassium hydroxide or sodium hydroxide, provided the amount of solvent used does not exceed the amount necessary for extraction. Of the two products, potassium hydroxide is the preferred choice; the manufacturer shall prove the need to use sodium hydroxide.
Plant protectants, natural	Substances that protect plants from harsh environmental conditions such as frost and sunburn, infection, the buildup of dirt on leaf surfaces, or injury by a pest. Natural substances are allowed, including but not limited to calcium carbonate, diatomaceous earth, kaolin clay, pine oil, pine resin and yucca. White wash is allowed for use on trees to protect against sunburn and southwest disease.
Plastic for row covers and solarization	Shall-Non-biodegradable and semi-biodegradable materials shall not be incorporated into the soil or left in the field to decompose; (shall be removed at the end of the growing season. Plastic mulches in perennial crops may be left for more than one season but shall be removed before the plastic decomposes). Use of polyvinyl chloride as plastic mulch or row cover is prohibited. [cgsb-MSS8]
Potassium bicarbonate	Allowed for pest and disease control in greenhouses and other crops.
Pyrethrum	May only be combined with acceptable formulants listed in par.table 4.3. See also <i>Botanical pesticides</i> for restrictions.
Quick lime	Also known as calcium oxide. Prohibited as a fertilizer or soil amendment.
Repellents	Acceptable if derived from a natural source, such as sterilized blood meal, rotten eggs, hair or predator scents, provided synthetic additives are not used.
Rotenone	Shall not be combined with unacceptable formulants. See also <i>Botanical</i> pesticides for restrictions.
Seaweed and seaweed products	See Aquatic plants and aquatic plant products.
Seed treatments	Microbial products, kelp, yucca, gypsum, clays, botanicals, and any substances and formulants that appear in par-table 4.3 with consistent origin and usage permitted for use as treatments on organic seed.
Soaps	Soaps (including insecticidal soaps) consisting of fatty acids derived from animal or vegetable oils are allowed.
Soaps, ammonium	As a large animal repellent only; no contact with soil or edible portion of crop allowed.

Substance Name(s)	Origin and Usage
Sodium bicarbonate	Allowed for pest and disease control in greenhouses and other crops.
Sodium silicate	For tree fruit and fibre processing.
Sterile insects	See Biological organisms.
Sugar	Organic sugar may be used as an ingredient in a crop production aid.
Sulphur (smoke bombs)	Sulphur smoke bombs used for rodent control shall be used in conjunction with other methods and only when a full pest control program is maintained but temporarily overwhelmed.
Sulphur, elemental	Allowed for foliar use only.
Summer oils	Allowed for use in organic production as suffocating or stylet oils on foliage.
Surfactants	See Soaps.
Transplant and potting media	Shall be composed entirely of allowed substances.
Treated seed, non-synthetic agents	Seed treated with naturally occurring biological management agents are allowed. Organisms from genetic engineering are prohibited. Seed pelletized with clay, gypsum, rhizobial bacteria or other non-synthetic coatings is allowed. Plastic polymer pelletization of seed is prohibited. See also <i>Seed treatments</i> .
Tree seals	Plant or milk-based paints may be used. Synthetic grafting materials are permitted on planting stock provided that the organic products are harvested after such plants have been maintained in accordance with this standard for at least 12 months. Shall not be combined with fungicides or other synthetic chemicals.
Vegetable oils	Spreader-stickers, surfactants and carriers. Plant oils shall not contain synthetic pesticides.
Vinegar	See Acetic acid.
(acetic acid)	Non-synthetic sources unless commercially unavailable.
Virus sprays	
Water	
Water, reclaimed	Reclaimed water shall be used only on non-edible parts of food crops and on crops not for human consumption. Use on edible plant parts and root crops is prohibited. Reclaimed water [CGSB-MSS9] from dairy operations may be spread on crop lands as per CAN/CGSB 32.310 (5.5.2.5). In all other uses, reclaimed water must meet applicable irrigation water regulatory requirements and only contain substances which are listed on CAN/CGSB 32.311

Substance Name(s)	Origin and Usage
Wetting agents	Natural wetting agents, including saponins and microbial wetting agents, are allowed. See also <i>Soaps</i> .

5. PERMITTED SUBSTANCES LISTS FOR LIVESTOCK PRODUCTION

5 Permitted substances lists for livestock production

- **5.1 Classification** Livestock production substances are classified according to the following uses and applications:
 - a. Feed, Feed Additives feed additives and Feed Supplements

feed supplements

b. Health Care Products care products and Production Aids production aids — Health care products include medications, remedies, parasiticides and other substances used to maintain or restore the well-being of an animal. Production aids include all other substances used on animals and their living areas, such as bedding and dips.

5.2 Feed, Feed Additives feed additives and Feed Supplements feed supplements

Note: _____In Canada, livestock feed must meet the compositional and labelling standards of the Feeds Regulations, 1983. Ingredients used in livestock feed must be approved and listed in Schedule IV or V of the Feeds Regulations, 1983. Some ingredients and products require registration (e.g. enzymes and milk replacers).

Substance Name(s)	Origin and Usage
Amino acids	Non-synthetic sources only. Exception granted for use of synthetic (1) Lysine, L-lysine which has been extracted using biofermentation and not produced from genetically engineered organisms is allowed only when lysine levels in hog or poultry feed have been demonstrated for porcine or poultry production; and (2) DL-methionine, DL-methionine—hydroxy analog and DL-methionine—hydroxy analog calcium 15 (CAS#'s 59-51-8, 853-91-5. 4857-44-7, and 922-50-9) for use in organic poultry production.
	**Mote: This exception The use of these substances will be *re-evaluated reviewed at the next full revision of *this the standard.
Antioxidants	Non-synthetic sources only. Water, alcohol, acid and base extracts that are permitted by this standard only.
Diatomaceous earth	Approved as an anti-caking agent in feed to a maximum of 2% of the total diet.
Energy feeds and forage concentrates (grains) and roughages ———(hay, silage, fodder, straw)	Shall be obtained from organic sources and may include silage preservation products (e.g. bacterial see hay or enzymatic additives derived from bacteria, fungi and plants and food by-silage preservation products [e.g. molasses and whey]). Note that if weather conditions are unfavourable to fermentation, lactic, propionic and formic acid may be used.)
Enzymes	Natural substances are permitted, including, as examples, bromelain, catalase—bovine liver, ficin, animal lipase, malt, pancreatin, pepsin, trypsin, proteases and carbohydrases. Animal-derived enzymes shall be guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of ruminants aged 30 months or older; and the distal ileum (portion of the small intestine) of ruminants of all ages. Shall be from an organic source unless not commercially available.
Hay or silage preservation products	Preference should be given to bacterial or enzymatic additives derived from bacteria, fungi and plants and food by-products [e.g. molasses and whey]. The following acids may be used: lactic, propionic and formic.
Micro-organisms and yeasts	Non synthetic yeasts including autolysate
Milk replacer	From organic sources when commercially available. Only without antibiotics and animal fats, by-products, and for emergency use only.

Substance Name(s)	Origin and Usage
Minerals, trace minerals, elements	Non-synthetic chelated-or, sulphated minerals such as but not limited to calcium chloride or their mineral salts. Synthetic nutrient minerals may be used when non-synthetic sources are not commercially available. Minerals may not be used to stimulate growth or production.
Molasses	May be used as a flavouring agent; shall be organic unless commercially unavailable.
Pre-mixes	Concentrated mixture of minerals and vitamins; all ingredients shall be organically sourced, where applicable, and shall be essential for animal nutrition.
Probiotics	
Protein feeds	Shall be from organic sources.
Seaweed meal	
Vitamins	Used <u>Vitamins</u> for enrichment or fortification of <u>livestock feed</u> . Synthetic <u>vitamins may be used if non-synthetic sources are not commercially available</u> .

5.3 Health Care Products and Production Aidsproduction aids

Substance Name(s)	Origin and Usage
Acetylsalicylic acid	Aspirin.
Activated charcoal	Plant sources only.
Alcohol, ethyl	Allowed as a disinfectant and sanitizer only.
(ethanol)	
Alcohol, isopropyl	Allowed as a disinfectant only.
Antibiotics	See par.clause 6.7 of CAN/CGSB-32.310, Organic Production Systems— General Principles and Management Standards, for conditions on antibiotic use in livestock. See also Antibiotics, oxytetracycline.
Antibiotics, oxytetracycline	For emergency use for bees. The equipment shall be destroyed, in accordance with par. 7.1.14.7 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, but the bees need not be destroyed if they are taken out of organic production and treated with oxytetracycline.
Anti-inflammatories	For health care use, to reduce inflammation. Preference shall be given to natural alternatives.
Biologics, including vaccines	Organisms from genetic engineering or their products (e.g. recombinant gene technology) are prohibited, except vaccines that have been grown on genetically engineered substrates but are not themselves a product of genetic engineering provided that:
	a. there is documented evidence that the targeted diseases are communicable to livestock on the enterprise and cannot be combated by other means, and
	b. an analogous vaccine grown on a substrate not produced from genetic engineering is not commercially available and a reasonable search of veterinary suppliers has been conducted.
	This exception shall be reviewed before the end of 2012.
Botanical compounds	Botanical preparations according to label specifications.
Calcium borogluconate	For milk fever. No withdrawal period required.
Chlorohexidine	For surgical procedures conducted by a veterinarian. Allowed for use as a post-milking teat dip when alternative germicidal agents and physical barriers have lost their effectiveness.

Substance Name(s)	Origin and Usage
Colostral whey	Probiotic.
Colostrum	Shall be organic unless commercially unavailable.
Copper sulphate	For use as an essential nutrient (source of copper and sulphur) and for topical use (foot baths). Sulphates produced using sulphuric acid are prohibited.
Diatomaceous earth	For use in control of external parasites.
Electrolytes	May include but not limited to: CMPK, calcium propionate, calcium sulphate et al. Without antibiotics-, orally or by injection
Electrolyte solutions	With no added active ingredients.
Formic acid	For apicultural use to control parasitic mites. This substance may be used after the last honey harvest of the season and shall be discontinued 30 days before the addition of honey supers.
Formulants (inerts, excipients)	Can only be used in conjunction with substances listed in par.table 5.3.
Glucose	
Glycerin	For use as a livestock teat dip; shall be produced through the hydrolysis of fats or oils.
Homeopathic and biotherapies	
Honey	Organic honey is allowed.
Hydrogen peroxide	External use (disinfectant): pharmaceutical grade. Internal use (e.g. livestock drinking water): food grade.
lodine	For use as a topical disinfectant. Sources include potassium iodide and elemental iodine. As a cleaning agent, shall be followed by a hot-water rinse. Non-elemental only; not to exceed 5% solution by volume (e.g. iodophors).
Iron products	May be supplied by ferric phosphate, ferric pyrophosphate, ferrous lactate, ferrous sulphate, iron carbonate, iron gluconate, iron oxide, iron phosphate, iron sulphate or reduced iron.
Lime, hydrated	Not permitted to cauterize physical alterations or deodorize animal wastes.
Local anesthetics	Use requires a withdrawal period of 90 days after administering to livestock intended for slaughter, and 7 days after administering to dairy animals. Preference shall be given to natural alternatives.
Magnesium sulphate [CGSB-MSS10]	Mined sources only. A source of magnesium and sulphur. Sulphates produced using sulphuric acid are prohibited.
Mineral oil	For external use only.

Substance Name(s)	Origin and Usage
Minerals, trace minerals, elements	Orally or by injection. Non-synthetic chelated-or, sulphated minerals such as but not limited to calcium chloride. or their mineral salts. Synthetic nutrient minerals may be used when non-synthetic sources are not commercially available. Minerals may not be used to stimulate growth or production. Minerals from any source are allowed for medical use.
Micro organisms	<u>Includes yeast and autolysate</u>
Oxalic acid	For the control of mites in honeybee colonies.
Oxytocin	For postparturition therapeutic use only. Meat from treated animals will not lose its organic status. See par. 6.7.6 d. of CAN/CGSB 32.310, Organic Production Systems — General Principles and Management Standards, for mandatory withdrawal time requirement.
<u>Paraffin</u>	Food Grade Only – for use in hives. [CGSB-MSS11]
Parasiticides and anti-microbials	See par. 6.7 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards, for conditions regarding the use of internal parasiticides.
Plant oils	To control external parasites.
<u>Pre-biotics</u>	Shall be from an organic source unless not commercially available.
<u>Probiotics</u>	
Rotenone	For external parasites, rotenone shall not be combined with unacceptable formulants. See also <i>Botanical pesticides</i> in paraticides 4.3 for restrictions.
Selenium products	May be derived from sodium selenate or sodium selenite. See <i>Minerals, trace minerals, elements</i> . May be used where documented deficiencies in the stock, soils or feed supplies exist.
<u>SulfurSulphur</u>	For control of external parasites.
Vaccines	See Biologics, including vaccines.
Vitamins	Used for enrichment or fortification. Synthetic vitamins may be used if non-synthetic sources are not commercially available. Vitamins from any source are allowed for medical use. Orally, topically or by injection.

6 Permitted substances lists for processing

- **6.1 Classification** Processing substances are classified according to the following uses and applications:
- a. **Non-organic Ingredients** (NOI) are in most cases considered non-agricultural, although some of the fundamental ingredients may have originated from agricultural-based commodities. Non-organic ingredients may be used only when an acceptable alternative, non-synthetic ingredient is commercially unavailable.
 - Food Additives additives See the definition of Food Additive in section 3 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.

 Other Nonnon-organic Ingredients ingredients — These non-organic ingredients are not considered food additives.

- b. Substances Permitted in Products Whose Contents Are 70% or More, and Less Than 95% Organic Ingredients.
- **6.2** Other <u>Categories categories</u> of <u>Substances substances</u> Other categories of substances are classified according to the following uses and applications:
 - a. Processing Aidsaids are substances or ingredients that are added to a product for a technological effect during processing. They are not present in the finished product or are present at insignificant or non-functional levels.
 - Pest Control Substances control substances are used to disinfect or prevent infestation of stored commodities, prevent post-harvest decay, and control losses from insects, diseases, rodents and other organisms.
- 6.3 Non-organic Ingredients Classified ingredients classified as Food Additives food additives

Substance Name(s)	Origin and Usage
Acids	Including a) alginic, b) citric — produced by microbial fermentation of carbohydrate substances, and c) lactic.
Agar	Water, alcohol, acid and base extracts that are permitted by this standard only.

Substance Name(s)	Origin and Usage
Alginates (alginic acid,	
sodium alginate, potassium alginate)	
Ammonium bicarbonate	For use as a leavening agent only.
Ammonium carbonate	For use as a leavening agent only.
Arabic gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Argon	
Ascorbic acid,	
non-synthetic	
Ascorbic acid, synthetic	Synthetic form is allowed in fruits and vegetables only if the natural form is not commercially available.
Calcium carbonate	Prohibited as a colouring agent.
Calcium chloride	Milk products, fat products, fruits and vegetables, and soybean products.
Calcium citrate	
Calcium phosphates (monobasic, dibasic, and tribasic forms)	
Calcium sulphate	From mined sources only. Sulphates produced using sulphuric acid are prohibited.
Carbon dioxide	
Carob bean gum (Locust bean gum)	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Carrageenan (Irish moss)	Water, alcohol, acid and base extracts that are permitted by this standard only.
Citric acid	From fruit and vegetable products.
Ferrous sulphate	For iron enrichment or fortification of products when recommended or required by regulation. Sulphates produced using sulphuric acid are prohibited.

Substance Name(s)	Origin and Usage
Gelatine	Shall be from an organic source unless not commercially available. Plant sources are allowed.
	Animal sources may be used for canned meat or as gelling agent for gummed candy. If derived from cattle, gelatin shall be guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of cattle aged 30 months or older; and the distal ileum (portion of the small intestine) of cattle of all ages.
Gellan gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Glucono delta[cGSB-MSS12] lactone	Production by the oxidation of D-glucose with bromine water is prohibited.
Glycerides _(mono and diglycerides)	For use only in drum drying of products. Organisms from genetic engineering are excluded. Documentation is required. Shall be produced from organic sources unless not commercially available.
Glycerine	Shall be produced by hydrolysis of natural (vegetable or animal) fats and oils.
Guar gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Karaya gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Kelp and kelp products	For use only as a thickener and dietary supplement.
Lactic acid	For fermented vegetable products or in sausage casings.
Lecithin	Shall be organic unless the required form is not commercially available. Bleached form is allowed if processed in accordance with the requirement of par. 1.4.1. j of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards.
Locust bean gum (Carob bean gum)	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Magnesium chloride (nigari)	Derived from seawater , for soybean products .
Magnesium sulphate [CGSB-MSS13]	From non-synthetic sources only. Sulphates produced using sulphuric acid are prohibited.
Malic acid	

Substance Name(s)	Origin and Usage
Ozone	
Pectin (high-methoxy)	
Pectin (low-methoxy)	
Potassium acid tartrate (KC ₄ H ₅ O ₆)	Synthetic form is allowed only if the non-synthetic form is not commercially available.
Potassium carbonatecarbonates (mono[cgsB-MSS14] and bi)	
Potassium chloride	
Potassium citrate	
Potassium metabisulphite	See Sulphurous acid.
Potassium tartrate (K ₂ C ₄ H ₄ O ₆ . INS 336)	Synthetic form is allowed only if the non-synthetic form is not commercially available.
Silicon dioxide	
Sodium acid pyrophosphate	For use as a leavening agent only.
Sodium bicarbonate (baking soda)	Synthetic form is allowed only if the non-synthetic form is not commercially available.
Sodium carbonate (soda ash)	Synthetic form is allowed only if the non-synthetic form is not commercially available.
Sodium chloride	
Sodium citrate	For sausages and milk products.
Sodium hydroxide (lye or caustic soda)	
Sodium phosphates	For use in dairy products only.

Substance Name(s)	Origin and Usage
Sulphurous acid	For use as a preservative only in alcoholic beverages made from grapes or other fruit[CGSB-MSS15]; minimum use of SO ₂ is recommended. The maximum allowable level of SO ₂ in alcoholic beverages with less than 5% residual sugar is 100 parts per million and 30 parts per million for total sulphites and free sulphites respectively; in alcoholic beverages with 5% or more and less than 10% residual sugar, 150 parts per million and 35 parts per million respectively; and in alcoholic beverages with 10% or more residual sugar, 250 parts per million and 45 parts per million respectively. The use of sulphites from SO ₂ bottled gas, as liquid SO ₂ , or liberated from the ignition of asbestos-free sulphur wicks is acceptable.
Tartaric acid (C ₄ H ₆ O ₆ . INS 334)	For beverages; synthetic form is allowed only if the non-synthetic form is not commercially available.
Tocopherols and mixed natural concentrates	Derived from vegetable oil when rosemary extracts are not a suitable alternative.
Tragacanth gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.
Xanthan gum	Water, alcohol, acid and base extracts and precipitants that are permitted by this standard only.

6.4 Non-organic Ingredients Not Classified as Food Additives ingredients not classifies as food additives

Substance Name(s)	Origin and Usage	
Colouring, natural	From non-synthetic sources only and shall not be produced using synthetic solvents and carrier systems or any artificial preservative.	
Cornstarch	Not from sources from genetic engineering or products derived from genetic engineering, with no added chemosynthetic substance.	
Dairy cultures Cultures	May not be products of recombinant DNA technology. See Micro-organisms[cgsb-Mss16]	

Substance Name(s)	Origin and Usage
_Enzymes	Any preparations of enzymes normally used in food processing derived from edible, non-toxic plants, non-pathogenic fungi or non-pathogenic bacteria. Animal enzymes: rennet—animal-derived; catalase—bovine liver; animal lipase; pancreatin; pepsin; and trypsin. Animal-derived enzymes shall be guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of ruminants aged 30 months or older; and the distal ileum (portion of the small intestine) of ruminants of all ages. Shall be from an organic source unless commercially unavailable. Egg white lysozyme.
Flavours	From non-synthetic sources only; shall not be produced using synthetic solvents and carrier systems or any artificial preservative. No propylene glycol carrier or any artificial preservatives, and shall not be hexane extracted.
Micro-organisms, (processing derivatives)	Including starter and dairy cultures and any preparations of micro-organisms normally used in product processing, excepting micro-organisms from. Organisms must be produced without genetic engineering or, enzymes derived from genetic engineering, with no addedor chemosynthetic substance.substances, except as otherwise permitted by the Permitted Substances List. [cgsb-mss17]
Nitrogen	Food-grade quality only.
Oxygen	
Potassium iodide, natural	Permitted only when legally required.
Salt	See also <i>Sodium chloride</i> in par.table 6.3. Only substances listed in par.table 6.3 or 6.4 may be added to mined or sea salt.
Smoke flavour	See Yeast.
Starch	Chemically unmodified only. From rice and waxy maize. Water, alcohol, acid and base extracts that are permitted by this standard only. Shall not be from genetically engineered sources.
Vitamins and minerals	Minerals (including trace elements), vitamins and similar isolated ingredients shall not be used except where legally required or a dietary or nutritional deficiency can be demonstrated and shall be documented. Vitamins shall not be derived from organisms from genetic engineering.
Waxes	Non-synthetic only: a) carnauba wax and b) wood resin (processing product of resin component).

Substance Name(s)	Origin and Usage
Yeast	Non-synthetic only: a) autolysate, b) bakers' (may contain lecithin, obtained without the use of bleaches and organic solvents), c) brewers', d) nutritional, and e) smoked. Non-synthetic smoke flavouring process shall be documented. Growth on petrochemical substrate and sulphite waste liquor are prohibited.

6.5 Substances Permitted in Products Whose Contents Are products whose contents are 70% or Moremore, and Less Thanless than 95% Organic Ingredients organic ingredients

Substance Name(s)	Origin and Usage
Magnesium carbonate	As an anti-caking agent in non-standardized dry mixes (e.g. seasonings) used in meat products.
Magnesium stearate	
Potassium iodide, synthetic	
Potassium phosphate	

6.6 Processing Aidsaids

Substance Name(s)	Origin and Usage
Acer pennsylvanicum	As an anti-foaming agent in maple syrup production.
Activated charcoal	Shall be of plant origin. Prohibited for use in the processing of maple syrup.
Alcohol, ethyl (ethanol)	Shall be organic unless commercially unavailable.
Argon	
Bentonite	
Calcium carbonate	
Calcium hydroxide (lime)	
Calcium sulphate, (gypsum)	As a carrier for cakes and biscuits, soybean products and bakers' yeast. Sulphates produced using sulphuric acid are prohibited.
Carbon dioxide	

Substance Name(s)	Origin and Usage	
Carrageenan (Irish moss)	Water, alcohol, acid and base extracts that are permitted by this standard only.	
Casein	6.1.1 Shall be from organic sources unless commercially unavailable. Non-organic casein shall be permitted only if it is derived from the milk of animals that were not treated with rBGH (recombinant bovine growth hormone).	
<u>Clay dust</u>	As a filtering agent in maple syrup production.	
Cellulose	As a filtering aid (non-chlorine bleached) and for use in inedible regenerative sausage casings.	
Diatomaceous earth	As a food filtering aid or as a clarifying agent only.	
Enzymes	Any preparations of enzymes normally used in food processing derived from edible, non-toxic plants, non-pathogenic fungi or non-pathogenic bacteria. Animal enzymes: rennet—animal-derived; catalase—bovine liver; animal lipase; pancreatin; pepsin; and trypsin. Animal-derived enzymes shall be guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of ruminants aged 30 months or older; and the distal ileum (portion of the small intestine) of ruminants of all ages. Shall be from an organic source unless commercially unavailable. Egg white lysozyme.	
Ethylene	For post-harvest ripening of tropical fruit and degreening of citrus only.	
Gelatine	Permitted only if guaranteed free of specified risk materials including the skull, brain, trigeminal ganglia (nerves attached to the brain), eyes, tonsils, spinal cord and dorsal root ganglia (nerves attached to the spinal cord) of cattle aged 30 months or older; and the distal ileum (portion of the small intestine) of cattle of all ages. Shall be from an organic source unless commercially unavailable.	
Isinglass	As a fining agent (fish-based).	
Kaolin	As a clarifying agent.	
Lecithin	Shall be organic unless the required form is not commercially available. Bleached form is allowed if processed in accordance with the requirement of par. 1.4.1. j of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards	
Nitrogen	Food-grade quality only.	
Oxygen		
Ozone		
Perlite	For use as a filter aid in food processing only.	

Substance Name(s)	Origin and Usage
Potassium carbonate	
Potassium hydroxide (caustic potash)	For pH adjustment only. Prohibited for use in lye peeling of fruits and vegetables.
Silica	As a filtering agent (food grade powder) in maple syrup production.
Silicon dioxide	
Sodium bicarbonate (baking soda)	Synthetic form is allowed only if the non-synthetic form is not commercially available.
Sodium hydroxide (lye or caustic soda)	Prohibited for use in lye peeling of fruits and vegetables.
Talc	As a filtering agent.
Tannic acid	Tannins and tannic extracts using water, alcohol, acid and base extracts that are permitted by this standard only. Shall be from an organic source unless not commercially available. Only permitted as a filtration aid for wines.
Tartaric acid (C ₄ H ₆ O ₆ . INS 334)	For beverages; from non-synthetic sources.
Vegetable oil	Obtained without the use of synthetic solvents. May be used as a spray-on greasing agent only.
Waxes	Non-synthetic only: a) carnauba wax and b) wood resin (processing product of resin component).

6.7 Pest Control Substances control substances

Substance Name(s)	Origin and Usage
Ammonium carbonate	As an attractant in insect traps.
Boric acid	May be used for structural pest control (e.g. ants). No direct contact with organic food or crops is allowed.
Carbon dioxide	
Cholecalciferol (vitamin D ₃)	Not allowed in organic food processing and food storage facilities.
Diatomaceous earth	
Neem oil	

Pheromones, other semiochemicals	Allowed for use in pheromone traps and passive dispensers. Both synthetic and non-synthetic pheromones and semiochemicals may be used for pest control cgsb-mss18 cgsb-mss19	
Pyrethrins	Without piperonyl butoxide as a carrier. No direct contact with organic food is allowed.	
Soaps, ammonium	As a large animal repellent; no contact with soil or edible portion of crop is allowed.	

7. PERMITTED SUBSTANCES LISTS FOR CLEANERS. DISINFECTANTS AND SANITIZERS

7 Permitted substances lists for cleaners, disinfectants and sanitizers

- **7.1** Classification Cleaners, disinfectants and sanitizers are used to remove dirt, filth and foreign matter from products and product-handling operations. These substances are also used to control micro-organisms that may contaminate products. They are classified as follows:
- a. Food-grade cleaners, disinfectants and sanitizers that are allowed without a mandatory removal event.
- b. Cleaners, disinfectants and sanitizers allowed on food contact surfaces, equipment and in facilities provided that substances are removed from food contact surfaces prior to organic production.
- **7.2** Section 7 does not apply to maple syrup production The operator shall meet the specific requirements for the different stages of production as described in par. 7.2 of CAN/CGSB-32.310₇ Organic Production Systems General Principles and Management Standards.
- 7.3 Food-Grade Cleaners, Disinfectants grade cleaners, disinfectants and Sanitizers That Are Allowed Without a Mandatory Removal Event mandatory removal event

Substance Name(s)	Origin and Usage
Acetic acid	Non-synthetic and synthetic sources may be used on equipment. Non-synthetic sources only may be used on food and plants.
Alcohol, ethyl (ethanol)	Non-synthetic and synthetic sources may be used on equipment.

Substance Name(s)	Origin and Usage
Alcohol, isopropyl	Non-synthetic and synthetic sources may be used on equipment.
Ascorbic acid	Non-synthetic sources may be used on equipment.
Chlorine compounds	a) Calcium hypochlorite; b) Chlorine dioxide; c) Sodium hypochlorite. For wash water in direct contact with crops or food, and in flush water which is applied to crops or fields, e.g. from cleaning irrigation systems, equipment, and storage facilities; shall not exceed maximum levels for safe drinking water.
Citric acid	Non-synthetic and synthetic sources may be used.
Hydrogen peroxide	
<u>Ozone</u>	
Peracetic (peroxyacetic) acid	For use in wash or rinse water for food or plants or on food contact surfaces.
Potassium bicarbonate	On equipment.
Sodium bicarbonate (baking soda)	Only non-synthetic sources may be used on food or food contact surfaces without a mandatory removal event.
Sodium carbonate (soda ash)	Only non-synthetic sources may be used on food or food contact surfaces without a mandatory removal event.
Sodium hydroxide (lye or caustic soda)	
Vinegar	Organic or non-organic sources.

7.4 Cleaners, Disinfectants disinfectants and Sanitizers Allowedsanitizers allowed on Food Contact Surfaces food contact surfaces including Equipment Provided That Substances Are Removed From Food Contact Surfaces Prior equipment provided that substances are removed from food contact surfaces prior to Organic Production organic production

Substance Name(s)	Origin and Usage
BleachChlorine compounds	a. Calcium hypochlorite;
	b. Chlorine dioxide;
	c. Sodium hypochlorite;
	d. Ozone; and
	e. Hydrogen peroxide.
	Not to exceed 10% solution by volume. Free chlorine levels for wash water in direct contact with crops or food, and in flush water from cleaning irrigation systems, that is applied to crops or fields, shall not exceed the maximum limits under the applicable regulations for safe drinking water. May be used up to maximum label rates for disinfecting and sanitizing facilities, equipment, tools and food contact surfaces.
Chlorine	See Bleach.
Detergents	Biodegradable only (whose biodegraded components are not more harmful than the original components). On equipment.
lodine	On equipment. Non-elemental only and not to exceed 5% solution by volume (e.g. iodophors).
Lime	All forms of lime, including calcium carbonate, calcium hydroxide and calcium oxide cass-MSS201
Phosphoric acid	On equipment in the dairy industry only. Prohibited for use in maple syrup production.
Potassium hydroxide (caustic potash)	
Potassium permanganate	Not to exceed 1% solution by volume.
Soap-based algicide (demossers)	On equipment

Substance Name(s)	Origin and Usage
Soaps	Soaps consisting of fatty acids derived from animal or vegetable oils are allowed.
Sodium bicarbonate (baking soda)	
Sodium borate	
Sodium carbonate (soda ash)	
Surfactants	See Detergents, Soaps.
Wetting agents	Natural wetting agents, including saponins and microbial wetting agents, are allowed. See also <i>Detergents</i> , <i>Soaps</i> .

8. NOTES (Informative)

8 Notes

- 8.1 Related Publications publications
- **8.1.1** Canadian Food Inspection Agency (CFIA)

Feeds Act (R.S.C., 1985, c. F-9)

Feeds Regulations, 1983 (SOR/83-593).

8.1.2 Health Canada

Food and Drugs Act (R.S.C., 1985, c. F-27)

Food and Drug Regulations (C.R.C., c. 870)

Pest Control Products Act (S.C. 2002, c. 28)

Pest Control Products Regulations (SOR/2006-124).

8.2 Sources of Referenced Publications

The following addresses were valid at the date of publication.

8.2.1 The publication referred to in par. 2.1.1 may be obtained from the Canadian General Standards Board, Sales Centre, Gatineau, Canada K1A 1G6.

Telephone 819 956 0425 or 1 800 665 2472. Fax 819 956 5740. E-mail ncr.cgsb-ongc@tpsgc-pwgsc.gc.ca. Web site www.tpsgc-pwgsc.gc.ca/ongc-cgsb/index-eng.html.

- 8.2.2 The publication referred to in par. 2.1.2 may be viewed at the Canadian Council of Ministers of the Environment Web site at ccme.ca.
- 8.2.3 The publication referred to in par. 2.1.3 may be viewed at the Quebec Ministère du Développement durable, de l'Environnement et des Parcs Web site at www.mddep.gouv.qc.ca/matieres/mat_res_en/fertilisantes/critere/index.htm.
- 8.2.4 The publication referred to in par. 2.1.4 may be viewed at the Pest Management Regulatory Agency Web site at www.pmra-arla.gc.ca/english/pubs/reg-e.html.

8.3 Source of Related Publications related publications

The following address was valid at the date of publication.

8.3.1 The publications referred to in par. 8.1.1 and 8.1.2 may be viewed at the Department of Justice Canada Web site at canada.justice.gc.ca.

APPENDIX A (Informative)

(This appendix does not form a mandatory part of the standard.)

ORGANIC PRODUCTION SYSTEMS REVIEW RECORD FOR GENERIC SUBSTANCES ADDED OR AMENDED

Annex A (normative) List of Organic -Substances [M21] by Name

This list of substances is the same as in all of the tables of 32.311, but listed together and in alphabetical order. The tables shall take precedence in any disputes.

Annex B

(informative)

Organic production systems review record for generic substances added or amended

Section 10 of CAN/CGSB-32.310, Organic Production Systems — General Principles and Management Standards

Sul	bstance:	
	Common Name(s)	Chemical Abstracts Service (CAS) #
Fill	out a., b. or c. by referring to Comment Form:	
a.	FOR A NEW SUBSTANCE:	
	Proposed for addition into Table (paragraph nu	umber):
	Permitted with no restrictions OR	
	Permitted with limitations on origin/m	ode of production/usage as follows:

•	FOR ADDITION OF AN EXISTING SUBSTANCE INTO A DIFFERENT TABLE:
	_The substance already appears in Table (paragraph number)÷):
	_Comment requests its addition into Table (paragraph number)÷):
	Proposed organic usage:
•	FOR CHANGES TO ANNOTATIONS OF AN EXISTING SUBSTANCE:
	_The substance <u>already</u> appears in Table (paragraph number):):
	_Comment requests changes to annotation:

Rationale for change	to annotation:		

SECTION	R - S	IIRSTA	NCF S	PECIFICS
JLC HOIN	U J	CUSIA	MACE 3	F LUII IUJ

B.1	Substance Description:	description:
B.2	Known Alternatives and Relative Merits:relative merits::	
B.3 <u>.</u>	Canadian Regulatory Status regulatory status: Unregulated ⊕ □ Regulate	d —_□ Agency (ies)
B.4 <u>.</u>	Compliance Reviewreview	
	Would use of the substance be consistent with the General Principles of fied in CAN/CGSB-32.310-2006, Amended June 2011, par10.2.1 a ?? If N istencies.	-
	YesNo	

	Comment:
	<u></u>
	Comment:
B.4.2 32.310	Would use of the substance be consistent with the prohibitions set out in CAN/CGSBCGAB-0-2006, Amended June 2011, par1.4.1? -If NO, elaborate on any inconsistencies.
	□Yes□No
	Comment:
	Comment:
B.4.3	Is the substance found in nature?
	⊕Yes ⊕No
	If Yes, has it undergone ONLY the following processes during production:
<u>a.</u>	_aMechanical/physical (e.g. extraction Extraction, precipitation)
<u>b.</u>	_ b. Enzymatic

E. e. Microbial (e.g. fermentation)?	
⊕Yes ⊕No	
If NO, is the substance produced by chemical processes or processes that chemica substance?	lly alter the
YesNo	
If <u>Yesyes</u> , describe the process_(es):	

C	F	\sim	П	n	Λ	\mathbf{c}	_	C	21	7	D	c

-	Is the substance necessary for obtaining or maintaining soil fertility, for fulfilling specific ments <u>ofor</u> crops or for specific soil conditioning and rotational purposes that cannot be satisfied requirements and practices of this standard (CAN/CGSB-32.310-2006, Amended June 2011, 0.3.1)?
	⊕Yes ⊕No
	Comment:
	Comment:
C.2	Is the substance necessary for management of diseases, insects, weeds and other pests of plants
	nnot be managed by any other biological, physical or plant breeding alternative or effective ement practice (CAN/CGSB-32.310-2006, Amended June 2011, par10.3.2)?
	⊕_Yes ⊕No
	Comment:
	Comment:

C.3 accord	Is the substance of plant and animal origin and derived from crops and livestock produced in ance with this standard (CAN/CGSB-32.310-2006, Amended June 2011, par10.4.1)?
	⊕Yes ⊕No
	_If NO, is a non-synthetic form of this substance available in sufficient quality or quantity?
	⊕Yes ⊕No
C.4 substa	Is the substance produced by chemical processes or processes that chemically alter the nce?
	⊕Yes ⊕No
SECTIO	ON D — LIVESTOCK
given t	If the substance is proposed for par5.2, Feed, Feed Additives and Feed Supplements, is the nce necessary to correct documented essential nutrient deficiencies in the forage or feed ration hat other biological, cultural, or physical treatments are not available (CAN/CGSB-32.310-2006, led June 2011, par10.3.3.1)?
	⊕Yes ⊕No
	Comment:
	Comment:
D.2 substa	If the substance is proposed for par5.2, Feed, Feed Additives and Feed Supplements, is the necessary for ensuring and preserving product quality, given that other biological, cultural or

physical treatments are not available (CAN/CGSB-32.310--2006, Amended June 2011, par.-_10.3.3.1)?

52



Comment:
Comments
Comment:
If the substance is proposed for par5.2, Feed, Feed Additives and Feed Supplements, is the ance obtained from organic sources or from sources occurring in nature, such as marine products neral origin (CAN/CGSB-32.310-2006, Amended June 2011, par10.4.2.1)?
⊕Yes ⊕No
Comment:
Comment:
Comment
If NONo, is a non-synthetic form of this substance available in sufficient quality or quantity?
YesNo
Comment:
Comment:

D.4 If the substance is proposed for par.-_5.3, Health Care Products and Production Aids, is the substance necessary for livestock health (CAN/CGSB-32.310-2006, Amended June 2011, par.-_10.3.3.2)?

	⊕Yes ⊕No
	Are other organic treatments not available?
- _	
	Comment:
	Comment:
SEC	TION E — PROCESSING
E.1	Is the substance
a	necessary to correct documented essential nutrient deficiencies of the product (i.e. <u>vitaminsvitamin</u> and minerals) OR when required by regulations?
	⊕- <u>□</u> Yes ⊕- <u>□</u> No- OR
b.	essential for ensuring the safety of the product?
	→□Yes →□No—OR
C . ∠	used only when it is not feasible/practical to produce or store such products without having recourse to such ingredients and processing aids?
	□Yes□No-OR

ffect in the final product (e.g. colouring and flavouring) while respecting the principle in AN/CGSB-32.310-2006, Amended June 2011, par10.2.1 avi.?
⊕ <u>□</u> Yes ⊕ <u>□</u> No
Comment:
Comment:
Are organic sources available in sufficient quality or quantity?
□Yes□No
If NO, are other No, is a non-synthetic sources form of these substances this substance available is sufficient quality or quantity?
Yes No
Comment:
Comment:

d. necessary to achieve a technological effect during processing (e.g. filtration) or an organoleptic

E.3	What is the impact of the substances use and potential misuse on
a.	human health through both food and non-food exposure, including acute and chronic toxicity, allergenicity and metabolites;
b.	product quality, including nutrition, flavour, taste, appearance and storage, when applicable;
C.	consumer perception of the nature, substance and quality of a food product?
	Comment:
	Comment:
SEC	TION F — CLEANING AND SANITATION In which area of organic production would this substance be proposed for use?
	→□Crops →□Livestock →□Processing
F.2	Is the substance necessary and appropriate for the intended use?
	⊕Yes ⊕No
	Comment:

Comment:
Is a non-synthetic form of this substance available in sufficient quality or quantity?
⊕Yes ⊕No
Comment:

	Comment:
SECTIO	N G — IMPACTS
	What is the impact of the substance's manufacture and disposal after use on the environment ng impactsimpact on ecology, surface and ground water and soil and air quality including nce persistence, degradation and concentration effectseffect?
3.2 egulat	What is the impact on equivalency and harmonization of this standard with standards and ions of other jurisdictions?
SECTIO	N H — REFERENCES USED
	_Please cite all references used in the review of this substance:

SECT	ION I — COMPLIANCE SUMMARY
I.1	Permitted Substances Lists (PSL) sub-committee recommendations regarding substance request:
	☐ Acceptance — ☐ Rejection
1.2	Rationale:
1.3	Substance Name as it should appear in CAN/CGSB-32.311:
1.4	Table (paragraph Paragraph number) in which it should appear in CAN/CGSB-32.311:
1.5	Annotation (if applicable):

6	If accepted on an exception basis, latest date by which the substance must be reviewed again:
	

ECTION J — REVIEWER AT	TESTATION		
lembers of the working g	roup reviewing this substa	ince:	
			
			
·			
)			
		Signature—_	Data
	credentials	Signature—	Date